

## Composite Resonating Object; w.2's Green Flares Superposed Upon 3.1's PIRO-IRO Templates

Journal Reference: Vol w, paper 3 of Version 1.70 (4 October 2005) of CD ebook ISBN 0-646-40916-6  
at [www.nodrift.com](http://www.nodrift.com) since 21 Dec 04

Comment: See w.2, w.1a.pps Slides 41-42, w.1d.ppt Slide 11.

**Abstract:** An important composite template, a "resonating object" interference pattern degeneracy, 3.1, inscribing Earth's continents, oceans and so on globally, 3.2-3.7, Vol 1, Vol 1 Slide Show, Vol 4 Slide Show, evidently originated in the THESHI-ed Green Flare of w.1a.pps Slide 41, w.2 Fig 1. This green flare is similar in shape and size to the PIRO-IRO templates explained in 3.1. This is unlikely to be a random coincidence, particularly as PIRO-IRO fit comfortably into the antipodally resonant green flares and composite template candidates are easily found there. The IRO template most likely originated within the green flare with its heavily impacted head in the E periphery of the Impact Hemisphere, neatly circumscribing N South America and the North Atlantic Ocean. Such extension of the PIRO-IRO templates is corroborated in the very first applications of the strongest candidate, a redoing of the Australia, Antarctica, South America, Africa Ghosts and their antipodes of Volume 1 Slide Shows: When the composite Green Flare-IRO template is moved into these positions, its wired-in green flare potential shadows convincingly real relic flares. For example, in the Australia Ghost Antipode position the wired-in green flare potential shadows:

1. Alaska's S Coast,
2. North America's Southernmost Great Lakes.
3. South Americas N coast,
4. West Africa's S coast.

## INTRODUCTION

I refer to antipodally resonant, planetary scale green flares in w.2 Figs 1 & 2, w.1a.pps, Slides 41-42.

I now draw North American-resonant segments of the green flares along the Atlantic coastline instead of inland, NE Asian-resonant segments along North Vietnam, North Korean N coasts instead of through Japan and so on.

In w.2, page 6:

## "META-MORPHOLOGIES

. . . the green flare is a similar size and overall shape to 3.1's PIRO-IRO ghost templates . . . This is unlikely to be a random coincidence . . .

This rough congruency is consistent with the PIRO-IRO ghost templates having started within the green flare, as a proto-IRO, not far from a clockwise rotation of the Australia Ghost antipode . . .

This genetic association would have been maintained as PIRO-IRO ghosts echoed around the world, as Vols 1, 4 Slide Shows show evidently happened . . .

. . . This paper's introduction of Globif, flare concepts reverses my 3.1 reading of impacts antipodal/at oceanic continents.

IMPLICATION: While Figs 1, 2 green flare indicates that Australia, Antarctica, South America Ghost regions and intervening spaces (Vols 1, 4 Slide Shows) should show best examples of PIRO-IRO ghosts, they have been under-explored for PIRO-IRO ghosts.

### OPPORTUNITY

Furthermore, not only has this huge region thus been most intensely PIRO-IRO-inscribed AND least investigated, it is also largely continental, so richer in PIRO-IRO, green flare, ghostly inscriptions than the Pacific Ocean, where my search for PIRO-IRO ghosts had been concentrated.

### COMBINATION TEMPLATES

The Green Flare and PIRO-IRO ghosts have too much in common to have NOT been originated and dispersed around the Earth, in combination . . ."

### COMBINATION TEMPLATES

I thus propose that my planetary scale Green Flare (Figs 1 & 2) AND its most emphatic, fully contained PIRO-IRO ghost be combined into a single, combination template.

3.1's PIRO-IRO templates most likely originated within the heavily impacted green flare with its head in South America, North Atlantic Ocean (SANA), so this is where we should look for a combination Green Flare-IRO ghost template.

The combination Green Flare-PIRO ghost template will then be a mirror inversion, built by gluing a wire representing the antipodal, Australia-encompassing green flare upon the existing PIRO template.

RENEWED VOLS 1, 4 SLIDE SHOWS

I shall then look for ghosts of the combination, starting with re-doing my Vols 1, 4 Slide Shows PIRO-IRO ghosts. This should ultimately be done more precisely than how I will do it.

This renewed search should be most intense within and adjacent to the SANA green flare, but also adjacent to my Australia, Antarctica, South America Ghost and their antipodes and "intervening spaces", and elsewhere, globally. By 01 October 05, I had gotten this far myself:

STRONGEST CANDIDATE

The snuggest PIRO-IRO fit within the green flare consistent with serm physics (4.5-12) has:

Australia's NE coastal potential following the South American coast from far W Venezuela to Surinan. NE New Guinea's Dampier, Vitiaz Straits potential at my putative Andean impact antipode to Krakatao (Krakatoa, w.1d.ppt Slide 11).

Australia, Antarctica potentials roughly filling the wide part of the North Atlantic ocean, Kermadec, Tonga Trenches roughly follow the N half of South America's SE coast.

The Amazonian-NW coastal West Africa potentials following the E coast of Madagascar and, most telling, the Africa potential symmetrical with Africa:

1. Central Red Sea, Congo coasts are symmetric with their own potentials.
2. The coasts of SW West Africa, SW SouthWest Africa are shadowed by each others potentials,
3. NE, Mediterranean, Indian Ocean coasts of NE Africa are shadowed by each others potentials and so on. There are innumerable such coincidences.

Such symmetries are consistent with this being the real proto-IRO, because interference patterns are characteristically profoundly symmetric, and proto-IRO African symmetries are consistent with shock wave interference pattern co-genesis of proto-PIRO-IRO with Africa antipodal to Polynesian impacts . . .

I predicted this in Vol 1 ~2000 on serm theoretical grounds (4.5-12) which are still mostly valid. The only mistake I made then was to locate proto-PIRO-IRO at those Polynesian impacts, as the Africa Ghost at and antipodal to Africa, assuming Polynesia to be where the most energetic impact had occurred because I had yet to discover my w.2 Figs 1, 2 green flare.

Such a most impressive set of multiscale coincidences between template potentials and underlying relics are consistent with this being the real combination of the green flare with IRO as well as showing how and where IRO originated.

#### PIRO-IRO DEVELOPMENT

Australia, Antarctica potentials then neatly span the North Atlantic while Africa, South America potentials neatly encompass nearly all of Africa . . .

All fit very neatly within the green flare, consistent with maximal impact energisation of this proto-IRO, more than IRO ghosts, AND Vol 4 "serm" explanation, 4.5-4.12.

Only the Australia proto-IRO potential has thus evidently been wholly directly impact energised. The Antarctica proto-IRO potential straddles the Impact Hemispheric Boundary (IHBO, 1.1), while Africa AND proto-IRO South America-Africa potentials have thus evidently been indirectly energised via the mantle, both antipodal to Polynesian impacts and as serm clusters radially ahead of the impacted green flare's impacts.

After such a start, PIRO-IRO would have been developed globally, most immediately at Australia, Antarctica, South America, Africa Ghosts and their antipodes and symmetries, Vol 1, at, ahead of, antipodal to extreme North Atlantic, Arctic (AODI, 4.3), South America, Polynesian impacts.

The green flare was then "wired-in", glued as a wire to my years-old acrylic IRO, 3.1. I similarly "enwired" my PIRO template.

I will soon show the new combination PIRO-IRO templates as Figs 1, 2 then, using them, redo all of my Vol 1, 4 ghosts and more, ultimately put the new photos online as a w.3 Slide Show.

## CORROBORATIONS

- a) There are numerous emphatic combination template ghosts neighbouring my "strongest candidate" which:
  - i) Fit the Australia potential into the North and/or Central American coastline and/or continental shelf, and/or
  - ii) Show further symmetries between the Africa potential and Africa, and/or
  - iii) Have the ghost of the Green Flare shadowing North American features roughly parallel to the Atlantic coast: St. Lawrence, Ohio, Mississippi Rivers and so on.
  
- b) In the antipodal combination template:
  - i) The antipodal Green Flare convincing follows linearities,
  - ii) The PIRO potential of New Guinea shows SW Indonesia as a star centred on Krakatoa, consistent with radial serm genesis antipodal to the Andean impact indicated in w.1d.ppt Slide 11. This is extremely unlikely to be a random coincidence.
  
- c) PIRO ocean continent potentials neatly encompass Australia and surrounding deeps, nearly all of Polynesia, the East Pacific Basin, the SE half of the North Pacific Basin.
  
- d) This encompassing rule is broken in a way which proves the rule serm morphologically:
  - i) New Zealand (NZ) and the Central Pacific Basin (CPB) fall just as neatly outside those continent potentials, consistent with w.2 Fig 2 MOAC indications of extreme NZ, CPB impacts.
  
- e) When the combination Green Flare-IRO template is moved to the Australia Ghost Antipode position, its wired-in green flare potential shadows:

- i) Alaska's S Coast,
  - ii) North America's Southernmost Great Lakes.
  - iii) South Americas N coast,
  - iv) West Africa's S coast.
- f) When the combination Green Flare-IRO template is moved to Antarctica, South America, Africa Ghost Antipode positions, its wired-in green flare potential shadows similarly convincingly real relic flares.